

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

*IFW*

Application : 09/430175 Examiner : CANELLA GAU : 1642  
 From : Tw Location: IDC FMF (FDC) Date: 4-3-06

Tracking #: 6064203 Week Date: 1-10-06

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>12-22-06</u>	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	<u>3-28-06</u>	

**[RUSH] MESSAGE:** \_\_\_\_\_

*On 12-22-06 replacement drawings were filed changing Figures 1A-1E  
 but the specification changes dated 3-28-06 show the Figures labeled  
 as Figures 1A, 2A, 3A, 4A and 5A.*

*Please correct the specification*

*Thank You*

*Tw*

**[XRUSH] RESPONSE:** \_\_\_\_\_

**INITIALS:**

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.